## \*\*\*\* CONFIDENTIAL \*\*\*\* \*\*\*\*PRE-DECISIONAL DOCUMENT \*\*\*\* \*\*\*\* SUMMARY SCORESHEET \*\*\*\* \*\*\*\* FOR COMPUTING PROJECTED HRS SCORE \*\*\*\*

## \*\*\*\* Do Not Cite or Quote \*\*\*\*

Site Name: Fostoria Industries

Region: 5

City, County, State: Fostoria, Seneca County, Evaluator: David Brauner

HO

EPA ID#: OHN000510314

Date: 8/11/09

Lat/Long:

T/R/S:

Congressional District:

This Scoresheet is for: SI

Scenario Name:

Description:

	S pathway	S <sup>2</sup> pathway
Ground Water Migration Pathway Score (Sgw)	11.73	137.5929
Surface Water Migration Pathway Score (Ssw)	0.06	0.0036
Soil Exposure Pathway Score (S <sub>s</sub> )	0.11	0.0121
Air Migration Score (Sa)		
$S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2$		137,6086
$(S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2)/4$		34,40215
$/(S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2)/4$		5.87

υ Pathways not assigned a score (explain):

Table 3-1 Ground Water Migration Pathwa	AY SCORESHEET		
Factor categories and factors	Maximum Value	Value A	ssigned
Aquifer Evaluated:			
Likelihood of Release to an Aquifer:			
1. Observed Release	550	550	
2. Potential to Release:			
2a. Containment	10		
2b. Net Precipitation	10		
2c. Depth to Aquifer	5		
2d. Travel Time	35		
2e. Potential to Release [lines 2a(2b + 2c + 2d)]	500		
3. Likelihood of Release (higher of lines 1 and 2e)	550		550
Waste Characteristics:			
4. Toxicity/Mobility	(a)	10000	
5. Hazardous Waste Quantity	(a)	100	
6. Waste Characteristics	100		32
Targets:			
7. Nearest Well	(b)	50	
8. Population:			
8a. Level I Concentrations	(b)		
8b. Level II Concentrations	(b)		
8c. Potential Contamination	(b)	5	
8d. Population (lines 8a + 8b + 8c)	(b)	5	
9. Resources	5		
10. Wellhead Protection Area	20		
11. Targets (lines 7 + 8d + 9 + 10)	(b)		55
Ground Water Migration Score for an Aquifer:			
12. Aquifer Score [(lines 3 x 6 x 11)/82,5000] <sup>c</sup>	100		11.7
Ground Water Migration Pathway Score:			
13. Pathway Score (S <sub>gw</sub> ), (highest value from line 12 for all aquifers evaluated) <sup>c</sup>	100		11.7

a Maximum value applies to waste characteristics category
b Maximum value not applicable
c Do not round to nearest integer

Factor categories and factors	Maximum Value	Value As	ssigned
quifer Evaluated:			
Drinking Water Threat			
ikelihood of Release to an Aquifer:			
1. Observed Release	550	550	
2. Potential to Release;			
2a, Containment	10		
2b. Net Precipitation	10		
2c. Depth to Aquifer	5		
2d. Travel Time	35		
2e. Potential to Release [lines 2a(2b + 2c + 2d)]	500		
3. Likelihood of Release (higher of lines 1 and 2e)	550		550
/aste Characteristics:	:550		550
	(=)	10000	
4. Toxicity/Mobility	(a)	10000	
5. Hazardous Waste Quantity	(a)	10	
6. Waste Characteristics	100		18
argets:			
7. Nearest Well	(b)	0	
8. Population:			
8a. Level I Concentrations	(b)		
8b. Level II Concentrations .	(b)		
8c. Potential Contamination	(b)	0.5	
8d. Population (lines 8a + 8b + 8c)	(b)	0.5	
9. Resources	5		
10. Targets (lines 7 + 8d + 9)	(b)	0.5	
rinking Water Threat Score:	• •		
1'. Drinking Water Threat Score ([lines 3 x 6 x 10]/82,500, subject to max of 100)	100		0.06
Human Food Chain Threat	,,,,,		0.00
kelihood of Release:			
12. Likelihood of Release (same value as line 3)	550		550
/aste Characteristics:	,		000
13. Toxicity/Mobility/Persistence/Bioaccumulation	(a)		
14. Hazardous Waste Quantity	(a)	10	
•	(a) 1000	10	^
15. Waste Characteristics	1000		0
argets:	50		
16. Food Chain Individual	50		
17. Population			
17a. Level I Concentration	(b)		
17b. Level II Concentration	(b)		
17c. Potential Human Food Chain Contamination	(b)		
17d. Population (lines 17a + 17b + 17c)	(b)		
18. Targets (lines 16 + 17d)	(p)		
uman Food Chain Threat Score:			
19. Human Food Chain Threat Score [(lines 12x15x18)/82,500,suject to max of 100]	100		0
Environmental Threat			
ikelihood of Release:			
20. Likelihood of Release (same value as line 3)	550		550
aste Characteristics:			
21. Ecosystem Toxicity/Persistence/Bioaccumulation	(a)		
22. Hazardous Waste Quantity	(a)	10	
•	* *	10	
23. Waste Characteristics	1000		0
argets:			
24. Sensitive Environments			
24a. Level I Concentrations	(b)		
24b. Level II Concentrations	(b)		
24c. Potential Contamination	(b)		

24d. Sensitive Environments (lines 24a + 24b + 24c)	(b)	
25. Targets (value from line 24d)	(b)	
Environmental Threat Score:		
26. Environmental Threat Score [(lines 20:/23x25)/82,500 subject to a max of 60]	60	0
Ground Water to Surface Water Migration Component Score for a Watershed		
27. Watershed Score <sup>c</sup> (lines 11 + 19 + 28, subject to a max of 100)	100	0.06
28. Component Score (S <sub>gs</sub> ) <sup>c</sup> (highest score from line 27 for all watersheds evaluated, subject to a max of 100)	100	0.06

Maximum value applies to waste characteristics category
 Maximum value not applicable
 Do not round to nearest integer

Factor categories and factors	Maximum Value	Value A	ssigned
Likelihood of Exposure:			
1. Likelihood of Exposure	550		550
Waste Characteristics:			
2. Toxicity	(a)	10000	
3. Hazardous Waste Quantity	(a)		
4. Waste Characteristics	100		0
Targets:			
5. Resident Individual	50	0	
6. Resident Population:			
6a. Level I Concentrations	(b)		
6b. Level II Concentrations	(b)		
6c. Population (lines 6a + 6b)	(b)		
7. Workers	15	10	
8. Resources	5		
9. Terrestrial Sensitive Environments	(c)		
10. Targets (lines 5 + 6c + 7 + 8,+ 9)	(p)		10
Resident Population Threat Score			
11. Resident Population Threat Score (lines 1 x 4 x 10)	(b)		0
Nearby Population Threat			
Likelihood of Exposure:			
12. Attractiveness/Accessibility	100	10	
13. Area of Contamination	100	5	
14. Likelihood of Exposure	500		5
Waste Characteristics:			
15, Toxicity	(a)	10000	
16. Hazardous Waste Quantity	(a)	100	
17. Waste Characteristics	100		32
Targets:			
18. Nearby Individual	1	. 1	
19. Population Within 1 Mile	(b)	57	
20. Targets (lines 18 + 19)	(b)		58
Nearby Population Threat Score			
21. Nearby Population Threat (lines 14 x 17 x 20)	(b)		9280
Soil Exposure Pathway Score:			
22. Pathway Score <sup>d</sup> (S <sub>s</sub> ), [lines (11+21)/82,500, subject to max of 100]	100		0.11

<sup>3</sup> Maximum value applies to waste characteristics category
5 Maximum value not applicable
5 No specific maximum value applies to factor. However, pathway score based solely on terrestrial sensitive environments is limited to a maximum of 60
6 Do not round to nearest integer